

Table AWM-1.--Agricultural Waste Management
East Baton Rouge Parish, Louisiana

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Pct of map unit	Application of manure and food- processing waste		Application of sewage sludge		Disposal of wastewater by irrigation	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
CaB: Cahaba-----	90	Not Rated Not Rated; CEC or Clay Too acid Droughty Filtering capacity	 0.32 0.00 0.00	Not Rated Not Rated; CEC or Clay Too acid Droughty Filtering capacity	 0.91 0.00 0.00	Not Rated Not Rated; CEC or Clay Too acid Droughty Filtering capacity	 0.91 0.00 0.00
Cc: Calhoun-----	90	Very limited Depth to saturated zone Restricted permeability Too acid Runoff limitation	 1.00 1.00 0.62 0.40	Very limited Depth to saturated zone Restricted permeability Too acid	 1.00 1.00 1.00	Very limited Depth to saturated zone Restricted permeability Too acid	 1.00 1.00 1.00
Cf: Calhoun-----	40	Very limited Depth to saturated zone Restricted permeability Too acid Runoff limitation	 1.00 1.00 0.62 0.40	Very limited Depth to saturated zone Restricted permeability Too acid	 1.00 1.00 1.00	Very limited Depth to saturated zone Restricted permeability Too acid	 1.00 1.00 1.00
Bonn-----	30	Not Rated Not Rated; Ksat Not Rated; CEC or Clay Depth to saturated zone Droughty Runoff limitation	 1.00 1.00 0.40	Not Rated Not Rated; Ksat Not Rated; CEC or Clay Droughty Depth to saturated zone Too acid	 1.00 1.00 0.31	Not Rated Not Rated; Ksat Not Rated; CEC or Clay Droughty Depth to saturated zone Too acid	 1.00 1.00 0.31
Fountain-----	30	Not Rated Not Rated; CEC or Clay Depth to saturated zone Restricted permeability Runoff limitation	 1.00 0.41 0.40	Not Rated Not Rated; CEC or Clay Depth to saturated zone Restricted permeability	 1.00 0.31	Not Rated Not Rated; CEC or Clay Depth to saturated zone Restricted permeability	 1.00 0.31
Cl: Cascilla-----	90	Not Rated Not Rated; CEC or Clay Flooding Too acid	 1.00 0.50	Not Rated Not Rated; CEC or Clay Flooding Too acid	 1.00 1.00	Not Rated Not Rated; CEC or Clay Flooding Too acid	 1.00 1.00
Co: Commerce-----	95	Somewhat limited Depth to saturated zone Restricted permeability	 0.68 0.41	Somewhat limited Depth to saturated zone Restricted permeability	 0.68 0.31	Somewhat limited Depth to saturated zone Restricted permeability	 0.68 0.31
Cr: Crevasse-----	100	Not Rated Not Rated; CEC or Clay Filtering capacity Flooding Droughty	 1.00 1.00 1.00	Not Rated Not Rated; CEC or Clay Filtering capacity Flooding Droughty	 1.00 1.00 1.00	Not Rated Not Rated; CEC or Clay Filtering capacity Flooding Droughty	 1.00 1.00 1.00

Table AWM-1.--Agricultural Waste Management--Continued
East Baton Rouge Parish, Louisiana

Map symbol and soil name	Pct of map unit	Application of manure and food- processing waste		Application of sewage sludge		Disposal of wastewater by irrigation	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
		Leaching limitation	0.45				
De: Deerford-----	90	Very limited		Very limited		Very limited	
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Sodium content	1.00	Sodium content	1.00	Sodium content	1.00
		Droughty	0.59	Too acid	0.77	Too acid	0.77
		Runoff limitation	0.40	Droughty	0.59	Droughty	0.59
		Too acid	0.22				
DfA: Deerford-----	60	Very limited		Very limited		Very limited	
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Sodium content	1.00	Sodium content	1.00	Sodium content	1.00
		Droughty	0.59	Too acid	0.77	Too acid	0.77
		Runoff limitation	0.40	Droughty	0.59	Droughty	0.59
		Too acid	0.22				
Olivier-----	30	Very limited		Very limited		Very limited	
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Restricted permeability	1.00	Restricted permeability	1.00	Restricted permeability	1.00
		Too acid	0.22	Too acid	0.77	Too acid	0.77
DfB: Deerford-----	60	Very limited		Very limited		Very limited	
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Sodium content	1.00	Sodium content	1.00	Sodium content	1.00
		Droughty	0.59	Too acid	0.77	Too acid	0.77
		Runoff limitation	0.40	Droughty	0.59	Droughty	0.59
		Too acid	0.22				
Olivier-----	30	Very limited		Very limited		Very limited	
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Restricted permeability	1.00	Restricted permeability	1.00	Restricted permeability	1.00
		Too acid	0.22	Too acid	0.77	Too acid	0.77
Dn: Deerford-----	60	Very limited		Very limited		Very limited	
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Sodium content	1.00	Sodium content	1.00	Sodium content	1.00
		Droughty	0.74	Too acid	0.77	Too acid	0.77
		Runoff limitation	0.40	Droughty	0.74	Droughty	0.74
		Too acid	0.22				
Verdun-----	30	Not Rated		Not Rated		Not Rated	
		Not Rated; CEC or Clay		Not Rated; CEC or Clay		Not Rated; CEC or Clay	
		Depth to saturated zone	1.00	Droughty	1.00	Droughty	1.00
		Droughty	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Restricted permeability	0.41	Restricted permeability	0.31	Restricted permeability	0.31
		Runoff limitation	0.40				
DrA: Dexter-----	100	Somewhat limited		Somewhat limited		Somewhat limited	
		Too acid	0.08	Too acid	0.31	Too acid	0.31
DrB: Dexter-----	100	Somewhat limited		Somewhat limited		Somewhat limited	
		Too acid	0.08	Too acid	0.31	Too acid	0.31

Table AWM-1.--Agricultural Waste Management--Continued
East Baton Rouge Parish, Louisiana

Map symbol and soil name	Pct of map unit	Application of manure and food- processing waste		Application of sewage sludge		Disposal of wastewater by irrigation	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
DuA: Dundee-----	65	Not Rated Not Rated; CEC or Clay Depth to saturated zone Flooding	0.84 0.60	Not Rated Not Rated; CEC or Clay Flooding	1.00	Not Rated Not Rated; CEC or Clay Too acid	0.91
		Restricted permeability Too acid	0.41 0.32	Depth to saturated zone Restricted permeability	0.84 0.31	Depth to saturated zone Flooding Restricted permeability	0.84 0.60 0.31
Amagon-----	30	Very limited Depth to saturated zone Restricted permeability Flooding	1.00 1.00 0.60	Very limited Depth to saturated zone Flooding Restricted permeability Too acid	1.00 1.00 1.00 0.77	Very limited Depth to saturated zone Restricted permeability Too acid Flooding	1.00 1.00 0.77 0.60
		Runoff limitation Too acid	0.40 0.22				
DuB: Dundee-----	65	Not Rated Not Rated; CEC or Clay Depth to saturated zone Restricted permeability Too acid	0.84 0.41 0.32	Not Rated Not Rated; CEC or Clay Too acid Depth to saturated zone Restricted permeability	0.91 0.84 0.31	Not Rated Not Rated; CEC or Clay Too acid Depth to saturated zone Restricted permeability	0.91 0.84 0.31
Amagon-----	30	Very limited Depth to saturated zone Restricted permeability Runoff limitation Too acid	1.00 1.00 0.40 0.22	Very limited Depth to saturated zone Restricted permeability Too acid	1.00 1.00 0.77	Very limited Depth to saturated zone Restricted permeability Too acid	1.00 1.00 0.77
DyB: Dundee-----	40	Not Rated Not Rated; CEC or Clay Depth to saturated zone Restricted permeability Too acid	0.84 0.41 0.32	Not Rated Not Rated; CEC or Clay Too acid Depth to saturated zone Restricted permeability	0.91 0.84 0.31	Not Rated Not Rated; CEC or Clay Too acid Depth to saturated zone Restricted permeability	0.91 0.84 0.31
Tensas-----	40	Very limited Restricted permeability Depth to saturated zone Runoff limitation Too acid	1.00 1.00 0.40 0.32	Very limited Restricted permeability Depth to saturated zone Too acid Flooding	1.00 1.00 0.91 0.40	Very limited Restricted permeability Depth to saturated zone Too acid	1.00 1.00 0.91
Sharkey-----	20	Very limited Restricted permeability Depth to saturated zone Runoff limitation	1.00 1.00 0.40	Very limited Restricted permeability Depth to saturated zone Flooding	1.00 1.00 0.40	Very limited Restricted permeability Depth to saturated zone	1.00 1.00

Table AWM-1.--Agricultural Waste Management--Continued
East Baton Rouge Parish, Louisiana

Map symbol and soil name	Pct of map unit	Application of manure and food- processing waste		Application of sewage sludge		Disposal of wastewater by irrigation	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
En: Essen-----	98	Somewhat limited Depth to saturated zone	0.95	Somewhat limited Depth to saturated zone	0.95	Somewhat limited Depth to saturated zone	0.95
		Restricted permeability	0.41	Restricted permeability	0.31	Restricted permeability	0.31
		Too acid	0.02	Too acid	0.07	Too acid	0.07
Es: Essen-----	50	Somewhat limited Depth to saturated zone	0.95	Somewhat limited Depth to saturated zone	0.95	Somewhat limited Depth to saturated zone	0.95
		Restricted permeability	0.41	Restricted permeability	0.31	Restricted permeability	0.31
		Too acid	0.02	Too acid	0.07	Too acid	0.07
Lafe-----	40	Not Rated Not Rated; Ksat Depth to saturated zone	1.00	Not Rated Not Rated; Ksat Droughty	1.00	Not Rated Not Rated; Ksat Droughty	1.00
		Droughty	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Runoff limitation	0.40	Too acid	0.42	Too acid	0.42
		Too acid	0.11				
Fn: Fountain-----	100	Not Rated Not Rated; CEC or Clay Depth to saturated zone	1.00	Not Rated Not Rated; CEC or Clay Depth to saturated zone	1.00	Not Rated Not Rated; CEC or Clay Depth to saturated zone	1.00
		Restricted permeability	0.41	Restricted permeability	0.31	Restricted permeability	0.31
		Runoff limitation	0.40				
Fo: Fountain-----	50	Not Rated Not Rated; CEC or Clay Depth to saturated zone	1.00	Not Rated Not Rated; CEC or Clay Depth to saturated zone	1.00	Not Rated Not Rated; CEC or Clay Depth to saturated zone	1.00
		Restricted permeability	0.41	Restricted permeability	0.31	Restricted permeability	0.31
		Runoff limitation	0.40				
Bonn-----	45	Not Rated Not Rated; Ksat Not Rated; CEC or Clay Depth to saturated zone	1.00	Not Rated Not Rated; Ksat Not Rated; CEC or Clay Droughty	1.00	Not Rated Not Rated; Ksat Not Rated; CEC or Clay Droughty	1.00
		Droughty	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Runoff limitation	0.40	Flooding	0.40	Too acid	0.31
Fr: Fred-----	90	Not Rated Not Rated; CEC or Clay Restricted permeability	0.41	Not Rated Not Rated; CEC or Clay Restricted permeability	0.31	Not Rated Not Rated; CEC or Clay Restricted permeability	0.31
Fs: Fred-----	50	Not Rated Not Rated; CEC or Clay Restricted permeability	0.41	Not Rated Not Rated; CEC or Clay Restricted permeability	0.31	Not Rated Not Rated; CEC or Clay Restricted permeability	0.31

Table AWM-1.--Agricultural Waste Management--Continued
East Baton Rouge Parish, Louisiana

Map symbol and soil name	Pct of map unit	Application of manure and food- processing waste		Application of sewage sludge		Disposal of wastewater by irrigation	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Deerford-----	40	Very limited Depth to saturated zone Sodium content Droughty Runoff limitation Too acid	1.00 1.00 0.59 0.40 0.22	Very limited Depth to saturated zone Sodium content Too acid Droughty	1.00 1.00 0.77 0.59	Very limited Depth to saturated zone Sodium content Too acid Droughty	1.00 1.00 0.77 0.59
FvA: Calloway-----	90	Not Rated Not Rated; CEC or Clay Depth to saturated zone Restricted permeability Too acid	1.00 1.00 0.32	Not Rated Not Rated; CEC or Clay Depth to saturated zone Restricted permeability Too acid	1.00 1.00 0.91	Not Rated Not Rated; CEC or Clay Depth to saturated zone Restricted permeability Too acid	1.00 1.00 0.91
FvB: Calloway-----	90	Not Rated Not Rated; CEC or Clay Depth to saturated zone Restricted permeability Too acid	1.00 1.00 0.32	Not Rated Not Rated; CEC or Clay Depth to saturated zone Restricted permeability Too acid	1.00 1.00 0.91	Not Rated Not Rated; CEC or Clay Depth to saturated zone Restricted permeability Too acid	1.00 1.00 0.91
Fw: Frost-----	85	Very limited Depth to saturated zone Restricted permeability Runoff limitation Too acid	1.00 0.41 0.40 0.22	Very limited Depth to saturated zone Too acid Restricted permeability	1.00 0.77 0.31	Very limited Depth to saturated zone Too acid Restricted permeability	1.00 0.77 0.31
Je: Jeanerette-----	90	Very limited Depth to saturated zone Restricted permeability Runoff limitation	1.00 0.41 0.40	Very limited Depth to saturated zone Restricted permeability	1.00 0.31	Very limited Depth to saturated zone Restricted permeability	1.00 0.31
Jn: Jeanerette Variant--	98	Very limited Depth to saturated zone Restricted permeability Runoff limitation	1.00 0.41 0.40	Very limited Depth to saturated zone Restricted permeability	1.00 0.31	Very limited Depth to saturated zone Restricted permeability	1.00 0.31
Jr: Jeanerette, light Co-	100	Very limited Depth to saturated zone Restricted permeability Runoff limitation	1.00 0.41 0.40	Very limited Depth to saturated zone Restricted permeability	1.00 0.31	Very limited Depth to saturated zone Restricted permeability	1.00 0.31
Jt: Jeanerette-----	60	Very limited Depth to saturated zone Restricted permeability Runoff limitation	1.00 0.41 0.40	Very limited Depth to saturated zone Restricted permeability	1.00 0.31	Very limited Depth to saturated zone Restricted permeability	1.00 0.31

Table AWM-1.--Agricultural Waste Management--Continued
East Baton Rouge Parish, Louisiana

Map symbol and soil name	Pct of map unit	Application of manure and food- processing waste		Application of sewage sludge		Disposal of wastewater by irrigation	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Frost-----	30	Very limited		Very limited		Very limited	
		Depth to	1.00	Depth to	1.00	Depth to	1.00
		saturated zone		saturated zone		saturated zone	
		Restricted	1.00	Restricted	1.00	Restricted	1.00
		permeability		permeability		permeability	
		Runoff limitation	0.40	Too acid	0.77	Too acid	0.77
		Too acid	0.22	Flooding	0.40		
Jv: Jeanerette, Light Co	50	Very limited		Very limited		Very limited	
		Depth to	1.00	Depth to	1.00	Depth to	1.00
		saturated zone		saturated zone		saturated zone	
		Restricted	0.41	Restricted	0.31	Restricted	0.31
		permeability		permeability		permeability	
		Runoff limitation	0.40				
Frost-----	30	Very limited		Very limited		Very limited	
		Depth to	1.00	Depth to	1.00	Depth to	1.00
		saturated zone		saturated zone		saturated zone	
		Restricted	0.41	Too acid	0.77	Too acid	0.77
		permeability					
		Runoff limitation	0.40	Flooding	0.40	Restricted	0.31
		Too acid	0.22	Restricted	0.31	permeability	
La: Lafe-----	92	Not Rated		Not Rated		Not Rated	
		Not Rated; Ksat		Not Rated; Ksat		Not Rated; Ksat	
		Depth to	1.00	Droughty	1.00	Droughty	1.00
		saturated zone					
		Droughty	1.00	Depth to	1.00	Depth to	1.00
		Runoff limitation	0.40	saturated zone		saturated zone	
		Too acid	0.11	Too acid	0.42	Too acid	0.42
Lm: Loamy Alluvial Land	50	Very limited		Very limited		Very limited	
		Flooding	1.00	Flooding	1.00	Flooding	1.00
		Depth to	0.68	Depth to	0.68	Depth to	0.68
		saturated zone		saturated zone		saturated zone	
Mhoon-----	50	Very limited		Very limited		Very limited	
		Depth to	1.00	Depth to	1.00	Depth to	1.00
		saturated zone		saturated zone		saturated zone	
		Flooding	1.00	Flooding	1.00	Flooding	1.00
		Restricted	1.00	Restricted	1.00	Restricted	1.00
		permeability		permeability		permeability	
		Runoff limitation	0.40				
LoA: Loring-----	90	Not Rated		Not Rated		Not Rated	
		Not Rated; CEC or		Not Rated; CEC or		Not Rated; CEC or	
		Clay		Clay		Clay	
		Restricted	1.00	Restricted	1.00	Restricted	1.00
		permeability		permeability		permeability	
		Depth to	0.86	Too acid	0.91	Too acid	0.91
		saturated zone					
		Too acid	0.32	Depth to	0.86	Depth to	0.86
				saturated zone		saturated zone	
LoB: Loring-----	90	Not Rated		Not Rated		Not Rated	
		Not Rated; CEC or		Not Rated; CEC or		Not Rated; CEC or	
		Clay		Clay		Clay	
		Restricted	1.00	Restricted	1.00	Restricted	1.00
		permeability		permeability		permeability	
		Depth to	0.86	Too acid	0.91	Too acid	0.91
		saturated zone					
		Too acid	0.32	Depth to	0.86	Depth to	0.86
				saturated zone		saturated zone	

Table AWM-1.--Agricultural Waste Management--Continued
East Baton Rouge Parish, Louisiana

Map symbol and soil name	Pct of map unit	Application of manure and food- processing waste		Application of sewage sludge		Disposal of wastewater by irrigation	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
LoC2: Loring-----	100	Not Rated Not Rated; CEC or Clay Restricted permeability Depth to saturated zone Too acid	1.00 0.86 0.32	Not Rated Not Rated; CEC or Clay Restricted permeability Too acid Depth to saturated zone	1.00 0.91 0.86	Not Rated Not Rated; CEC or Clay Restricted permeability Too acid Depth to saturated zone Too steep for surface application	1.00 0.91 0.86 0.08
LoD2: Loring-----	100	Not Rated Not Rated; CEC or Clay Restricted permeability Depth to saturated zone Too acid	1.00 0.86 0.32	Not Rated Not Rated; CEC or Clay Restricted permeability Too acid Depth to saturated zone	1.00 0.91 0.86	Not Rated Not Rated; CEC or Clay Restricted permeability Too steep for surface application Too acid Depth to saturated zone	1.00 0.92 0.91 0.86
Ma: Made Land-----	100	Not rated		Not rated		Not rated	
MeA: Memphis-----	90	Not Rated Not Rated; CEC or Clay Too acid	0.32	Not Rated Not Rated; CEC or Clay Too acid	0.91	Not Rated Not Rated; CEC or Clay Too acid	0.91
MeB: Memphis-----	90	Not Rated Not Rated; CEC or Clay Too acid	0.32	Not Rated Not Rated; CEC or Clay Too acid	0.91	Not Rated Not Rated; CEC or Clay Too acid	0.91
MeD2: Memphis-----	100	Not Rated Not Rated; CEC or Clay Too acid	0.32	Not Rated Not Rated; CEC or Clay Too acid	0.91	Not Rated Not Rated; CEC or Clay Too acid Too steep for surface application	0.91 0.68
Mh: Mhoon-----	95	Very limited Depth to saturated zone Restricted permeability Runoff limitation	1.00 1.00 0.40	Very limited Depth to saturated zone Restricted permeability	1.00 1.00	Very limited Depth to saturated zone Restricted permeability	1.00 1.00
Mn: Mhoon-----	95	Very limited Depth to saturated zone Restricted permeability	1.00 1.00	Very limited Depth to saturated zone Restricted permeability	1.00 1.00	Very limited Depth to saturated zone Restricted permeability	1.00 1.00

Table AWM-1.--Agricultural Waste Management--Continued
East Baton Rouge Parish, Louisiana

Map symbol and soil name	Pct of map unit	Application of manure and food- processing waste		Application of sewage sludge		Disposal of wastewater by irrigation	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
		Runoff limitation	0.40				
Ms: Mhoon-----	60	Very limited		Very limited		Very limited	
		Depth to	1.00	Depth to	1.00	Depth to	1.00
		saturated zone		saturated zone		saturated zone	
		Restricted	1.00	Restricted	1.00	Restricted	1.00
		permeability		permeability		permeability	
		Runoff limitation	0.40				
Sharkey-----	35	Very limited		Very limited		Very limited	
		Restricted	1.00	Restricted	1.00	Restricted	1.00
		permeability		permeability		permeability	
		Depth to	1.00	Depth to	1.00	Depth to	1.00
		saturated zone		saturated zone		saturated zone	
		Runoff limitation	0.40	Flooding	0.40		
Oc: Ochlocknee-----	90	Not Rated		Not Rated		Not Rated	
		Not Rated; CEC or		Not Rated; CEC or		Not Rated; CEC or	
		Clay		Clay		Clay	
		Flooding	1.00	Flooding	1.00	Flooding	1.00
		Too acid	0.22	Too acid	0.77	Too acid	0.77
		Filtering	0.00	Filtering	0.00	Filtering	0.00
		capacity		capacity		capacity	
OlA: Olivier-----	95	Very limited		Very limited		Very limited	
		Depth to	1.00	Depth to	1.00	Depth to	1.00
		saturated zone		saturated zone		saturated zone	
		Restricted	1.00	Restricted	1.00	Restricted	1.00
		permeability		permeability		permeability	
		Too acid	0.22	Too acid	0.77	Too acid	0.77
OlB: Olivier-----	85	Very limited		Very limited		Very limited	
		Depth to	1.00	Depth to	1.00	Depth to	1.00
		saturated zone		saturated zone		saturated zone	
		Restricted	1.00	Restricted	1.00	Restricted	1.00
		permeability		permeability		permeability	
		Too acid	0.22	Too acid	0.77	Too acid	0.77
PrB: Providence-----	95	Not Rated		Not Rated		Not Rated	
		Not Rated; CEC or		Not Rated; CEC or		Not Rated; CEC or	
		Clay		Clay		Clay	
		Depth to	1.00	Depth to	1.00	Depth to	1.00
		saturated zone		saturated zone		saturated zone	
		Depth to cemented	0.64	Too acid	0.91	Too acid	0.91
		pan					
		Too acid	0.32	Depth to cemented	0.64	Depth to cemented	0.64
				pan		pan	
		Droughty	0.13	Droughty	0.13	Droughty	0.13
Sc: Sharkey-----	95	Very limited		Very limited		Very limited	
		Restricted	1.00	Restricted	1.00	Restricted	1.00
		permeability		permeability		permeability	
		Depth to	1.00	Depth to	1.00	Depth to	1.00
		saturated zone		saturated zone		saturated zone	
		Runoff limitation	0.40	Flooding	0.40		
Sh: Sharkey-----	100	Very limited		Very limited		Very limited	
		Restricted	1.00	Restricted	1.00	Restricted	1.00
		permeability		permeability		permeability	
		Depth to	1.00	Depth to	1.00	Depth to	1.00
		saturated zone		saturated zone		saturated zone	
		Runoff limitation	0.40	Flooding	0.40		

Table AWM-1.--Agricultural Waste Management--Continued
East Baton Rouge Parish, Louisiana

Map symbol and soil name	Pct of map unit	Application of manure and food- processing waste		Application of sewage sludge		Disposal of wastewater by irrigation	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Sk:							
Sharkey-----	40	Very limited		Very limited		Very limited	
		Restricted	1.00	Restricted	1.00	Restricted	1.00
		permeability		permeability		permeability	
		Depth to	1.00	Depth to	1.00	Depth to	1.00
		saturated zone		saturated zone		saturated zone	
		Flooding	1.00	Flooding	1.00	Flooding	1.00
		Runoff limitation	0.40				
Tunica-----	30	Not Rated		Not Rated		Not Rated	
		Not Rated; CEC or		Not Rated; CEC or		Not Rated; CEC or	
		Clay		Clay		Clay	
		Restricted	1.00	Restricted	1.00	Restricted	1.00
		permeability		permeability		permeability	
		Flooding	1.00	Flooding	1.00	Flooding	1.00
		Depth to	0.95	Depth to	0.95	Depth to	0.95
		saturated zone		saturated zone		saturated zone	
		Runoff limitation	0.40				
Sm:							
Sharkey-----	60	Very limited		Very limited		Very limited	
		Restricted	1.00	Restricted	1.00	Restricted	1.00
		permeability		permeability		permeability	
		Depth to	1.00	Depth to	1.00	Depth to	1.00
		saturated zone		saturated zone		saturated zone	
		Flooding	1.00	Flooding	1.00	Flooding	1.00
		Runoff limitation	0.40				
Tunica-----	30	Not Rated		Not Rated		Not Rated	
		Not Rated; CEC or		Not Rated; CEC or		Not Rated; CEC or	
		Clay		Clay		Clay	
		Restricted	1.00	Restricted	1.00	Restricted	1.00
		permeability		permeability		permeability	
		Flooding	1.00	Flooding	1.00	Flooding	1.00
		Depth to	0.95	Depth to	0.95	Depth to	0.95
		saturated zone		saturated zone		saturated zone	
		Runoff limitation	0.40				
SmB:							
Sharkey-----	45	Very limited		Very limited		Very limited	
		Restricted	1.00	Restricted	1.00	Restricted	1.00
		permeability		permeability		permeability	
		Depth to	1.00	Depth to	1.00	Depth to	1.00
		saturated zone		saturated zone		saturated zone	
		Runoff limitation	0.40	Flooding	0.40		
Tunica-----	40	Not Rated		Not Rated		Not Rated	
		Not Rated; CEC or		Not Rated; CEC or		Not Rated; CEC or	
		Clay		Clay		Clay	
		Restricted	1.00	Restricted	1.00	Restricted	1.00
		permeability		permeability		permeability	
		Depth to	0.95	Depth to	0.95	Depth to	0.95
		saturated zone		saturated zone		saturated zone	
		Runoff limitation	0.40				
So:							
Smoothed Land-----	100	Not rated		Not rated		Not rated	
Sp:							
Springfield-----	95	Very limited		Very limited		Very limited	
		Depth to	1.00	Depth to	1.00	Depth to	1.00
		saturated zone		saturated zone		saturated zone	
		Restricted	1.00	Restricted	1.00	Restricted	1.00
		permeability		permeability		permeability	
		Runoff limitation	0.40	Too acid	0.91	Too acid	0.91
		Too acid	0.32				

Table AWM-1.--Agricultural Waste Management--Continued
East Baton Rouge Parish, Louisiana

Map symbol and soil name	Pct of map unit	Application of manure and food- processing waste		Application of sewage sludge		Disposal of wastewater by irrigation	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Sr: Springfield-----	60	Very limited Depth to saturated zone Restricted permeability Runoff limitation Too acid	 1.00 1.00 0.40 0.32	Very limited Depth to saturated zone Restricted permeability Too acid	 1.00 1.00 0.91	Very limited Depth to saturated zone Restricted permeability Too acid	 1.00 1.00 0.91
Olivier-----	30	Very limited Depth to saturated zone Restricted permeability Too acid	 1.00 1.00 0.22	Very limited Depth to saturated zone Restricted permeability Too acid	 1.00 1.00 0.77	Very limited Depth to saturated zone Restricted permeability Too acid	 1.00 1.00 0.77
Te: Terrace Escarpments-	100	Not rated		Not rated		Not rated	
Tn: Tunica-----	95	Not Rated Not Rated; CEC or Clay Restricted permeability Depth to saturated zone Runoff limitation	 1.00 0.95 0.40	Not Rated Not Rated; CEC or Clay Restricted permeability Depth to saturated zone Flooding	 1.00 0.95 0.40	Not Rated Not Rated; CEC or Clay Restricted permeability Depth to saturated zone	 1.00 0.95
Ts: Tunica-----	60	Not Rated Not Rated; CEC or Clay Restricted permeability Depth to saturated zone Runoff limitation	 1.00 0.95 0.40	Not Rated Not Rated; CEC or Clay Restricted permeability Depth to saturated zone Flooding	 1.00 0.95 0.40	Not Rated Not Rated; CEC or Clay Restricted permeability Depth to saturated zone	 1.00 0.95
Sharkey-----	30	Very limited Restricted permeability Depth to saturated zone Runoff limitation	 1.00 1.00 0.40	Very limited Restricted permeability Depth to saturated zone Flooding	 1.00 1.00 0.40	Very limited Restricted permeability Depth to saturated zone	 1.00 1.00
Vd: Verdun-----	100	Not Rated Not Rated; CEC or Clay Depth to saturated zone Droughty Restricted permeability Runoff limitation	 1.00 1.00 0.41 0.40	Not Rated Not Rated; CEC or Clay Droughty Depth to saturated zone Restricted permeability	 1.00 1.00 0.31	Not Rated Not Rated; CEC or Clay Droughty Depth to saturated zone Restricted permeability	 1.00 1.00 0.31
Ve: Verdun-----	65	Not Rated Not Rated; CEC or Clay Depth to saturated zone Droughty Restricted permeability Runoff limitation	 1.00 1.00 0.41 0.40	Not Rated Not Rated; CEC or Clay Droughty Depth to saturated zone Restricted permeability	 1.00 1.00 0.31	Not Rated Not Rated; CEC or Clay Droughty Depth to saturated zone Restricted permeability	 1.00 1.00 0.31

Table AWM-1.--Agricultural Waste Management--Continued
East Baton Rouge Parish, Louisiana

Map symbol and soil name	Pct of map unit	Application of manure and food- processing waste		Application of sewage sludge		Disposal of wastewater by irrigation	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Deerford-----	35	Very limited Depth to saturated zone Sodium content Droughty Runoff limitation Too acid	1.00 1.00 0.59 0.40 0.22	Very limited Depth to saturated zone Sodium content Too acid Droughty	1.00 1.00 0.77 0.59	Very limited Depth to saturated zone Sodium content Too acid Droughty	1.00 1.00 0.77 0.59
Vf: Verdun-----	60	Not Rated Not Rated; CEC or Clay Depth to saturated zone Droughty Restricted permeability Runoff limitation	1.00 1.00 0.41 0.40	Not Rated Not Rated; CEC or Clay Droughty Depth to saturated zone Restricted permeability	1.00 1.00 0.31	Not Rated Not Rated; CEC or Clay Droughty Depth to saturated zone Restricted permeability	1.00 1.00 0.31
Fred-----	30	Not Rated Not Rated; CEC or Clay Restricted permeability	0.41	Not Rated Not Rated; CEC or Clay Restricted permeability	0.31	Not Rated Not Rated; CEC or Clay Restricted permeability	0.31
Wf: Waverly-----	60	Not Rated Not Rated; CEC or Clay Depth to saturated zone Flooding Leaching limitation Too acid	1.00 1.00 1.00 0.70 0.50	Not Rated Not Rated; CEC or Clay Depth to saturated zone Flooding Too acid	1.00 1.00 1.00	Not Rated Not Rated; CEC or Clay Depth to saturated zone Flooding Too acid	1.00 1.00 1.00
Falaya-----	30	Not Rated Not Rated; CEC or Clay Depth to saturated zone Flooding Too acid Runoff limitation	1.00 1.00 0.50 0.40	Not Rated Not Rated; CEC or Clay Depth to saturated zone Flooding Too acid	1.00 1.00 1.00	Not Rated Not Rated; CEC or Clay Depth to saturated zone Flooding Too acid	1.00 1.00 1.00
Za: Zachary-----	85	Not Rated Not Rated; CEC or Clay Depth to saturated zone Flooding Restricted permeability Too acid	1.00 1.00 1.00 0.32	Not Rated Not Rated; CEC or Clay Depth to saturated zone Flooding Restricted permeability Too acid	1.00 1.00 1.00 0.91	Not Rated Not Rated; CEC or Clay Depth to saturated zone Flooding Restricted permeability Too acid	1.00 1.00 1.00 0.91